TILE DOCTOR NANOTECH HBU REMOVER

Page: 1

Compilation date: 05/06/2019

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: NANOTECH HBU REMOVER

Product code:

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SPECIALIST COATINGS REMOVER

## 1.3. Details of the supplier of the safety data sheet

Company name: TILE DOCTOR

**50F MARKET STREET** 

**CARNFORTH** 

LANCASHIRE

LA95LB

**Tel:** 0845 652 4652

Fax:

Email: INFO@TILEDOCTOR.CO.UK

# 1.4. Emergency telephone number

### **Emergency tel:**

(office hours only)

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Corr. 1C: H314

Most important adverse effects: Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting

effects.

### 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



### TILE DOCTOR NANOTECH HBU REMOVER

Page: 2

**Precautionary statements:** P280: Wear protective gloves/eye protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P302+352: IF ON SKIN: Wash with plenty of water/soap and water.

P273: Avoid release to the environment.

## 2.3. Other hazards

Other hazards: No data available.

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Hazardous ingredients:

### BENZYL ALCOHOL

| EINECS   | CAS        | PBT / WEL | CLP Classification  | Percent |
|--|------------|-----------|---|---------|
| 202-859-9  | 100-51-6   | -         | Acute Tox. 4: H332; Acute Tox. 4: H302  | 10-30%  |
| LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM. |            |           |   |         |
| 265-199-0  | 64742-95-6 | -         | Asp. Tox. 1: H304; Flam. Liq. 3: H226;<br>STOT SE 3: H335; Aquatic Chronic 2:<br>H411 | 1-10%   |
| DODECYL BENZENE SULPHONIC ACID   |            |           |   |         |
| 287-494-3  | 85536-14-7 | -         | Acute Tox. 4: H302; Skin Corr. 1C: H314; Aquatic Chronic 3: H412                      | 1-10%   |
| GLYCOLIC ACID  |            |           |   |         |

### Section 4: First aid measures

201-180-5

### 4.1. Description of first aid measures

79-14-1

**Skin contact:** Wash immediately with plenty of soap and water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Get medical or first aid

Skin Corr. 1B: H314; Acute Tox. 4:

H332; Eye Dam. 1: H318

attention.

Ingestion: Rinse mouth with water, Do not induce vomitting. Seek medical advice.

Inhalation: Not applicable; likely occurence not possible under normal conditions of use.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

Eye contact: There may be irritation and pain. Prompt First Aid is required to avoid serious eye

damage.

Ingestion: There may be soreness and redness of the mouth and throat.

1-10%

## TILE DOCTOR NANOTECH HBU REMOVER

Page: 3

Inhalation: Not applicable, product is a gel.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective

clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

# 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

### TILE DOCTOR NANOTECH HBU REMOVER

Page: 4

## 7.3. Specific end use(s)

Specific end use(s): Refer to Section 1

### Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

Engineering measures: No special requirement.

Respiratory protection: Respiratory protection not required.

Hand protection: Impermeable gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement. Prevent from entering in public sewers or the immediate

environment.

### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Characteristic odour

**Evaporation rate:** Slow

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Water rinseable.

Also soluble in: Most organic solvents.

Viscosity: Highly viscous

Boiling point/range°C: >100 Melting point/range°C: <0

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: >93 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

Relative density: 1.02 (Typical) pH: 3

VOC g/I: No data available.

### 9.2. Other information

Other information: Not applicable.

### Section 10: Stability and reactivity

### TILE DOCTOR NANOTECH HBU REMOVER

Page: 5

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

### Hazardous ingredients:

## **BENZYL ALCOHOL**

| IVN | RAT | LD50 | 53   | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 1360 | mg/kg |
| ORL | RAT | LD50 | 1230 | mg/kg |

## LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.

| ORL | RΔT    | LD50 | 8400 | ma/ka |
|-----|--------|------|------|-------|
| OIL | 11/7/1 | LDSU | 0-00 | mg/kg |

### DODECYL BENZENE SULPHONIC ACID

| DERMAL | RAT | LD50 | >2000 | mg/kg |
|--------|-----|------|-------|-------|
| ORAL   | RAT | LD50 | 1219  | mg/kg |

#### Relevant hazards for substance:

| Hazard                        | Route | Basis                 |
|-------------------------------|-------|-----------------------|
| Skin corrosion/irritation     | DRM   | Hazardous: calculated |
| Serious eye damage/irritation | OPT   | Hazardous: calculated |

## Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

Eye contact: There may be irritation and pain. Prompt First Aid is required to avoid serious eye

damage.

#### TILE DOCTOR NANOTECH HBU REMOVER

Page: 6

**Ingestion:** There may be soreness and redness of the mouth and throat.

Inhalation: Not applicable, product is a gel.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

## Section 12: Ecological information

### 12.1. Toxicity

Ecotoxicity values: No data available.

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

### 12.4. Mobility in soil

Mobility: No data available.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN3265

# 14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Dodecyl Benzene Sulphonate (~6%), Glycolic Acid (~3%))

### 14.3. Transport hazard class(es)

Transport class: 8

### TILE DOCTOR NANOTECH HBU REMOVER

Page: 7

## 14.4. Packing group

Packing group: III

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: NOT APPLICABLE

### **Section 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways. H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.